

Atty. Docket No. 050070

Serial No. 10/524,021

Applicant(s): YAMADA, Yoshiji, et al.

Filing Date: February 9, 2005

Group Art Unit:

### **U.S. PATENT DOCUMENTS**

Examiner Initial		Document No.	Name	Date	Class	Subclass	Filing Date (If appropriate)
	AA	·					
	AB						

### FOREIGN PATENT DOCUMENTS

	Document No.	Date	Country	Translation (Yes or No)
AC				(165 01 140)

### OTHER DOCUMENTS

/J.G./ /J.G./	AD	NASSAR BASSAM A et al: "Relation of genetic polymorphism of apolipoprotein E, angiotensin converging enzyme, apolipoprotein B-100, and glycoprotein IIIa and early-onset coronary heart disease", CLINICAL BIOCHEMISTRY, vol. 32, no. 4, June 1999, pages 275-282.
10.G.1	AE	BRSCIC ELVIS et al: "Acute myocardial infarction in young adults: Prognostic role of angiotensin-converting enzyme, angiotensin II type I receptor, apolipoprotein E, endothelial constitutive nitric oxide synthase, and glycoprotein IIIa genetic polymorphism at medium-term follow-up", AMERICAN HEART JOURNAL, vol. 139, no 6., June 2000, pages 979-984.
<u>/J.G./</u>	AF	REINER A P et al: "Platelet glycoprotein gene polymorphism and risk of thrombosis: facts and fancies.", REVIEWS IN CLINICAL AND EXPERIMENTAL HEMATOLOGY, September 2001, vol. 5, no. 3, pages 262-287.
/J.G./	AG	DALEY G Q et al: "The heart SNPs a beat: polymorphism in candidate genes for cardiovascular disease.", TRENDS IN CARDIOVASCULAR MEDICINE, February 2001, vol. 11, no. 2, pages 60-66.
/J.G./	ΑН	YAMADA YOSHIJI et al: "Prediction of the risk of myocardial infarction from polymorphism in candidate genes.", NEW ENGLAND JOURNAL OF MEDICINE, December 2002, vol. 347, no. 24, pages 1916-1923.
/J.G./ 	AI	IZAWA HIDEO et al: "Prediction of genetic risk for hypertension", HYPERTENSION (BALTIMORE), May 2003, vol. 41, no. 5, pages 1035-1040.
Examiner	/Jaim	e Greene/ Date Considered 08/03/2007



**INFORMATION** DISCLOSURE **CITATION** PTO-1449

Atty. Docket No. 050070

Serial No. 10/524,021

Applicant(s): YAMADA, Yoshiji, et al.

Filing Date: February 9, 2005

Group Art Unit: Not Yet Assigned

# **U.S. PATENT DOCUMENTS**

Examiner Initial		Document No.	Name	Dațe	Class	Subclass	Filing Date (If appropriate)
	AA					•	

#### FOREIGN PATENT DOCUMENTS

	Document No.	Date	Country	Translation (Yes or No)
AB				•

#### **OTHER DOCUMENTS**

/J.G./	AC	McBride, W., et al. "RESTENOSIS AFTER SUCCESSFUL CORONARY ANGIOPLASTY;" <i>THE NEW ENGLAND JOURNAL OF MEDICINE</i> , Vol. 318, No. 26, pp.1734-1737 (June, 1988).
/J.G./	AD	Hirshfeld, J. W., Jr., et al. "Restenosis After Coronary Angioplasty: A Multivariate Statistical Model to Relate Lesion and Procedure Variables to Restenosis;" <i>JACC</i> , Vol. 18, No. 3, pp. 647-656 (September, 1991).
/J.G./	AE	Weintraub, W. S., et al. "Can Restenosis After Coronary Angioplasty Be Predicted From Clinical Variables?;" <i>JACC</i> , Vol. 21, No. 1, pp. 6-14 (January 1993).
/J.G./	AF	van Bockxmeer, F. M., et al. "Apolipoprotein ∈4 homozygosity a determinant of restenosis after coronary angioplasty;" <i>Atherosclerosis</i> 110, pp. 195-202 (1994).
/J.G./	AG	Yamada, Y., et al. "PREDICTION OF THE RISK OF MYOCARDIAL INFARCTION FROM POLYMORPHISMS IN CANDIDATE GENES," <i>THE NEW ENGLAND JOURNAL OF MEDICINE</i> , Vol. 347, No. 24, pp.1916-1923 (December, 2002) and Supplementary Appendix 1.
/J.G./	ΑН	Ortlepp, J. R., et al. "The 4G/5G Promotor Polymorphism of the Plasminogen Activator Inhibitor-1 Gene and Late Lumen Loss after Coronary Stent Placement in Smoking and Nonsmoking Patients;" Clin. Cardiol. Vol. 24, pp. 585-591 (September 2001).
Examiner	/Jai	me Greene/ Date Considered 08/03/2007



**INFORMATION DISCLOSURE CITATION** PTO-1449

Atty. Docket No. 050070

Serial No. 10/524,021

Applicant(s): YAMADA, Yoshiji, et al.

Filing Date: February 9, 2005

Group Art Unit: Not Yet Assigned

## **U.S. PATENT DOCUMENTS**

Examiner Initial		Document No.	Name	•	Date	Class	Subclass	Filing Date (If appropriate)
	BA							

### FOREIGN PATENT DOCUMENTS

	Document No.	Date	Country	Translation (Yes or No)
BB				

### **OTHER DOCUMENTS**

/J.G./ /J.G./	BC BD	fibronectin in co 73, pp. 534-539 Gawaz, M., et a	oronary artery rester (1995).	notic lesions retr abrane glycoprot	factor α and accumulatine and accumulatine to atherectomy; teins of circulating plate (1996).	' Br Heart,
Examiner	/Ja	ime Greene/	Date Consid	dered	08/03/2007	

05 Rec'd PCT/PT0	09	FEB	2005
------------------	----	-----	------

Group Art Unit: Not Yet Assigned

INFORMATION
DISCLOSURE
<b>STATEMENT</b>
PTO-1449

Atty. Docket No. 050070	Serial No. New Application						
Applicant(s): Yoshiji YAMADA, et al.							

## OTHER DOCUMENTS

Filing Date: February 9, 2005

/J.G./	AJ	C. Amant, et al.; "D Allele of the Angiotensin I-Converting Enzyme Is a Major Risk Factor for Restenosis After Coronary Stenting;" Circulation; Vol. 96; No. 1;
/J.G./	AK	July 1, 1997; pp. 56-60. (11 Sheets)  F. Ribichini, et al; "Plasma Activity and Insertion/Deletion Polymorphism of
1101		Angiotensin I-Converting Enzyme;" Circulation; Vol. 97; 1998; pp. 147-154.
/J.G./	AL	H. Völzke, et al., "The angiotensinogen gene 235T variant is associated with an
		increased risk of restenosis after percutaneous transluminal coronary angioplasty;"  Clinical Science; Vol. 99; 2000; pp. 19-25.
/J.G./	AM	D. H. Walter, et al; "Platelet Glycoprotein IIIA Polymorphisms and Risk of Coronary
/J.G./	Awi	Stent Thrombosis;" Lancet; Vol. 350; 1997; pp. 1217-1219. (7 Sheets)
70.0.7	AN	S. Humphries, et al.; "The 5A6A polymorphism in the promoter of the stromelysin-l
		(MMP3) gene as a risk factor for restenosis;" European Heart Journal; Vol. 23; 2002;
/J.G./	, _	pp. 721-725.
70.0.7	AO	M. Rauchhaus, et al.; "The E-selectin SER128ARG gene polymorphism and
		restenosis after successful coronary angioplasty;" International Journal of
1101		Cardiology; Vol. 83; 2002; pp. 249-257.
/J.G./	AP	N. von Beckerath, et al.; "Glycoprotein Ia C807T polymorphism and risk of restenosis
/J.G./		following coronary stenting;" Atherosclerosis; Vol. 156; 2001; pp. 463-468.
	AQ	N. von Beckerath; "G Protein β3 subunit polymorphism and risk of thrombosis and restenosis following coronary stent placement;" <i>Atherosclerosis</i> ; Vol. 149; 2000;
1,101		pp. 151-155.
/J.G./	AR	H. Matsuno, et al; "Inhibition of von Willebrand Factor Binding to Platelet GP Ib by a
	Au\	Fractionated Aurintricarboxylic Acid Prevents Restenosis After Vascular Injury in
		Hamster Carotid Artery;" Circulation; Vol. 96; No. 4; August 19, 1997,
/J.G./		pp. 1299-1304. (15 Sheets)
ì ————	AS	G. Iaccarino, et al; "Targeting $G_{\beta\gamma}$ signaling in arterial vascular smooth muscle
		proliferation: A novel strategy to limit restenosis;" Proc. Natl. Acad. Sci. USA;
Į.		Vol. 96; March 1999; pp. 3945-3950.
Examiner	/Jaim	e Greene/ Date Considered 09/03/2007
		08/03/2007

.0/524021

# T05 Rec'd PCT/PT0 0 9 FEB 2005

INFORMATION DISCLOSURE STATEMENT PTO-1449 Atty. Docket No. 050070 Serial No. New Application

Applicant(s): Yoshiji YAMADA, et al.

Filing Date: February 9, 2005 Group Art Unit: Not Yet Assigned

### **OTHER DOCUMENTS**

J.G.  AT   N. Clausell, et al.; "Expression of tumour necrosis factor alpha and accumulatic fibronectin in coronary artery restenotic lesions retrieved by atherectomy;" Brit. Heart Journal; Vol. 76; No. 6; June 1995; pp. 534-539 (1 Sheet-Abstract only)   M. Gawaz, et al.; "Changes in membrane glycoproteins of circulating platelets coronary stent implantation;" Heart; Vol. 76; 1996; pp. 166-172 (1 Sheet-Abstractionly)   RYL Zee, et al.; "Multi-locus interactions predict risk for post-PTCA restenosis approach to the genetic analysis of common complex disease;" The Pharmacogenomics Journal; Vol. 2; 2002; pp. 197-201./Cited in the Internation Search Report.   N. von Beckerath, et al.; "Glycoprotein Ia gene C807T polymorphism and risk major adverse cardiac events within the first 30 days after coronary artery stenting Blood; Vol. 26; No. 11; June 2000; pp. 3297-3301./Cited in the International Search Report.   AX		/J.G./
AU M. Gawaz, et al.; "Changes in membrane glycoproteins of circulating platelets coronary stent implantation;" Heart; Vol. 76; 1996; pp. 166-172 (1 Sheet-Abstronly)  AV RYL Zee, et al.; "Multi-locus interactions predict risk for post-PTCA restenosis approach to the genetic analysis of common complex disease;" The Pharmacogenomics Journal; Vol. 2; 2002; pp. 197-201./Cited in the Internation Search Report.  AW N. von Beckerath, et al.; "Glycoprotein Ia gene C807T polymorphism and risk major adverse cardiac events within the first 30 days after coronary artery stenti Blood; Vol. 95; No. 11; June 2000; pp. 3297-3301./Cited in the International Search.  AX F. Ribichini: "In-stent restenosis;" Ital Heart J.; Vol. 2; No. 10; October 2001; pp. 728-735./Cited in the International Search Report.  AY C. Bauters, et al; "Gene Poymorphisms and Outcome After Coronary Angiopla Curr. Interv. Cardiol. Rep.; Vol. 3; No. 4; November 2001; pp. 281-286./Cited International Search Report.  AZ I. Taniguchi, et al.; "The DD genotype of angiotensin converting enzyme polymorphism is a risk factor for coronary artery disease and coronary stent res in Japanese patients;" Jpn. Circ. J.; Vol. 65; No. 10; October 2001; pp. 897-900./Cited in the International Search Report.  M. Hamon, et al.; "Dual determination of andotensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after corona angioplasty;" Am. J. Cardiol; Vol. 81; No. 1; January 1998; pp. 79-81./Cited in		fibronectin in coronary artery restenotic lesions retrieved by atherectomy;" British Heart Journal, Vol. 76; No. 6; June 1995; pp. 534, 539 (1 Sheet Abstract only)
AV RYL Zee, et al.; "Multi-locus interactions predict risk for post-PTCA restenosis approach to the genetic analysis of common complex disease;" The Pharmacogenomics Journal; Vol. 2; 2002; pp. 197-201./Cited in the Internation Search Report.  AW N. von Beckerath, et al.; "Glycoprotein Ia gene C807T polymorphism and risk major adverse cardiac events within the first 30 days after coronary artery stenting Blood; Vol. 25; No. 11; June 2000; pp. 3297-3301./Cited in the International Search.  F. Ribichini; "In-stent restenosis;" Ital Heart J.; Vol. 2; No. 10; October 2001; pp. 728-735./Cited in the International Search Report.  AX Enuters, et al; "Gene Poymorphisms and Outcome After Coronary Angiopla Curr. Interv. Cardiol. Rep.; Vol. 3; No. 4; November 2001; pp. 281-286./Cited International Search Report.  AZ I. Taniguchi, et al.; "The DD genotype of angiotensin converting enzyme polymorphism is a risk factor for coronary artery disease and coronary stent res in Japanese patients;" Jpn. Circ. J.; Vol. 65; No. 10; October 2001; pp. 897-900./Cited in the International Search Report.  M. Hamon, et al.; "Dual determination of antiotensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after corona angioplasty;" Am. J. Cardiol; Vol. 81; No. 1; January 1998; pp. 79-81./Cited in		AU M. Gawaz, et al.; "Changes in membrane glycoproteins of circulating platelets:
J.G.  AW   N. von Beckerath, et al.; "Glycoprotein Ia gene C807T polymorphism and risk major adverse cardiac events within the first 30 days after coronary artery stenting Blood; Vol. 96; No. 11; June 2000; pp. 3297-3301./Cited in the International Scarch Report.   AX   F. Ribichini; "In-stent restenosis;" Ital Heart J.; Vol. 2; No. 10; October 2001; pp. 728-735./Cited in the International Search Report.   AY   C. Bauters, et al; "Gene Poymorphisms and Outcome After Coronary Angiopla Curr. Interv. Cardiol. Rep.; Vol. 3; No. 4; November 2001; pp. 281-286./Cited International Search Report.   I. Taniguchi, et al.; "The DD genotype of angiotensin converting enzyme polymorphism is a risk factor for coronary artery disease and coronary stent res in Japanese patients;" Jpn. Circ. J.; Vol. 65; No. 10; October 2001; pp. 897-900./Cited in the International Search Report.   M. Hamon, et al.; "Dual determination of annotensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after corona angioplasty;" Am. J. Cardiol; Vol. 81; No. 1; January 1998; pp. 79-81./Cited in	: an	AV RYL Zee, et al.; "Multi-locus interactions predict risk for post-PTCA restenosis
AW  N. von Beckerath, et al.; "Glycoprotein Ia gene C807T polymorphism and risk major adverse cardiac events within the first 30 days after coronary artery stenting Blood; Vol. 95; No. 11; June 2000; pp. 3297-3301./Cited in the International Sereport.  AX  F. Ribichini; "In-stent restenosis;" Ital Heart J.; Vol. 2; No. 10; October 2001; pp. 728-735./Cited in the International Search Report.  AY  C. Bauters, et al.; "Gene Poymorphisms and Outcome After Coronary Angiopla Curr. Interv. Cardiol. Rep.; Vol. 3; No. 4; November 2001; pp. 281-286./Cited International Search Report.  AZ  I. Taniguchi, et al.; "The DD genotype of angiotensin converting enzyme polymorphism is a risk factor for coronary artery disease and coronary stent res in Japanese patients;" Jpn. Circ. J.; Vol. 65; No. 10; October 2001; pp. 897-900./Cited in the International Search Report.  M. Hamon, et al.; "Dual determination of antiotensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after corona angioplasty;" Am. J. Cardiol; Vol. 81; No. 1; January 1998; pp. 79-81./Cited in	ıal	Pharmacogenomics Journal; Vol. 2; 2002; pp. 197-201./Cited in the Internation
AX F. Ribichini; "In-stent restenosis;" Ital Heart J.; Vol. 2; No. 10; October 2001; pp. 728-735./Cited in the International Search Report.  AY C. Bauters, et al; "Gene Poymorphisms and Outcome After Coronary Angiopla Curr. Interv. Cardiol. Rep.; Vol. 3; No. 4; November 2001; pp. 281-286./Cited International Search Report.  AZ I. Taniguchi, et al.; "The DD genotype of angiotensin converting enzyme polymorphism is a risk factor for coronary artery disease and coronary stent res in Japanese patients;" Jpn. Circ. J.; Vol. 65; No. 10; October 2001; pp. 897-900./Cited in the International Search Report.  M. Hamon, et al.; "Dual determination of antiotensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after corona angioplasty;" Am. J. Cardiol; Vol. 81; No. 1; January 1998; pp. 79-81./Cited in	ng;"	AW N. von Beckerath, et al.; "Glycoprotein Ia gene C807T polymorphism and risk major adverse cardiac events within the first 30 days after coronary artery stenting blood; Vol. 25; No. 11; June 2000; pp. 3297-3301./Cited in the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science) and the International Science (Control of the International Science (Control
AY  C. Bauters, et al; "Gene Poymorphisms and Outcome After Coronary Angiopla  Curr. Interv. Cardiol. Rep.; Vol. 3; No. 4; November 2001; pp. 281-286./Cited  International Search Report.  I. Taniguchi, et al.; "The DD genotype of angiotensin converting enzyme polymorphism is a risk factor for coronary artery disease and coronary stent res in Japanese patients;" Jpn. Circ. J.; Vol. 65; No. 10; October 2001; pp. 897-900./Cited in the International Search Report.  M. Hamon, et al.; "Dual determination of antiotensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after corona angioplasty;" Am. J. Cardiol; Vol. 81; No. 1; January 1998; pp. 79-81./Cited in		1 1 <del>-</del>
/J.G./   AZ   Curr. Interv. Cardiol. Rep.; Vol. 3; No. 4; November 2001; pp. 281-286./Cited International Search Report.  I. Taniguchi, et al.; "The DD genotype of angiotensin converting enzyme polymorphism is a risk factor for coronary artery disease and coronary stent res in Japanese patients;" Jpn. Circ. J.; Vol. 65; No. 10; October 2001; pp. 897-900./Cited in the International Search Report.  M. Hamon, et al.; "Dual determination of analotensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after corona angioplasty;" Am. J. Cardiol; Vol. 81; No. 1; January 1998; pp. 79-81./Cited in		pp. 728-735./Cited in the International Search Report.
International Search Report.  I. Taniguchi, et al.; "The DD genotype of angiotensin converting enzyme polymorphism is a risk factor for coronary artery disease and coronary stent res in Japanese patients;" Jpn. Circ. J.; Vol. 65; No. 10; October 2001; pp. 897-900./Cited in the International Search Report.  M. Hamon, et al.; "Dual determination of analotensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after corona angioplasty;" Am. J. Cardiol; Vol. 81; No. 1; January 1998; pp. 79-81./Cited in		
polymorphism is a risk factor for coronary artery disease and coronary stent res in Japanese patients;" <i>Jpn. Circ. J.</i> ; Vol. 65; No. 10; October 2001; pp. 897-900./Cited in the International Search Report.  M. Hamon, et al.; "Dual determination of an notensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after corona angioplasty;" <i>Am. J. Cardiol</i> ; Vol. 81; No. 1; January 1998; pp. 79-81./Cited in		International Search Report.
M. Hamon, et al.; "Dual determination of annotensin-converting enzyme and angiotensin-II type 1 receptor genotypes as predictors of restenosis after corona angioplasty;" Am. J. Cardiol; Vol. 81; No. 1; January 1998; pp. 79-81./Cited in	enosis	in Japanese patients;" Jpn. Circ. J.; Vol. 65; No. 10; October 2001;
angioplasty;" Am. J. Cardiol; Vol. 81; No. 1; January 1998; pp. 79-81./Cited in		BA M. Hamon, et al.; "Dual determination of annotensin-converting enzyme and
	-	angioplasty;" Am. J. Cardiol; Vol. 81; No. 1; January 1998; pp. 79-81./Cited in
Examiner /Jaime Greene/ Date Considered 08/03/2007		aminer /Jaime Greene/ Date Considered

The PTO did not receive the following listed Item(s) NPL AZ & BA